

## Valley County Planning and Zoning

PO Box 1350 • 700 South Main Street  
Cascade, ID 83611-1350



Phone: 208-382-7115  
Email: [cherrick@valleycountyid.gov](mailto:cherrick@valleycountyid.gov)

---

**STAFF REPORT:** VAC 26-001 Boyer Vacation of Utility Easement  
**MEETING DATE:** June 11, 2026  
**TO:** Planning and Zoning Commission  
**STAFF:** Cynda Herrick, AICP, CFM  
Planning and Zoning Director  
**APPLICANT:** Warren Boyer  
2118 S Heritage PL, Boise, ID 83709  
**PROPERTY OWNER:** Warren Boyer, c/o Lu M Boyer, Trustee  
1725 Pomander RD, Boise ID 83705  
**LOCATION:** 13128 Tucker RD and 13126 Tucker RD  
Lake Cascade Ranch Subdivision Lots 29 and 30, in the W ½ NW ¼  
Section 16, T.16N, R.3E, Boise Meridian, Valley County, Idaho  
**REQUEST:** Vacate the 12-ft Utility Easements Centered on Interior Lot Line  
**EXISTING LAND USE:** Single-Family Residential Lots

---

Lake Cascade Ranch Subdivision was recorded on June 11, 1973. Per the plat, there are 12-foot easements centered on all interior lot lines.

Warren Boyer is requesting a vacation of a 12-ft utility easement that is centered on the lot line between Lake Cascade Ranch Subdivision Lots 29 and 30. The applicant is requesting this vacation in order to build over the easement. The lots would be combined. As of May 5, 2026, both properties have the same ownership.

The two lots form a 0.90-acre site. The lots are addressed at 13128 and 13126 Tucker Road. The site is accessed from Tucker Road, a public road.

### FINDINGS:

1. The application was submitted on April 3, 2026.
2. Legal notice was posted in the *Star News* on May 21, 2026, and May 28, 2026. The applicant was notified by letter on May 11, 2026. Potentially affected agencies were notified on May 12, 2026. Property owners within 300 feet of the property line were notified by fact sheet sent by certified mail on May 12, 2026. The notice was posted online at [www.co.valley.id.us](http://www.co.valley.id.us) on May 12, 2026. The site was posted on May 20, 2026.
3. Agency comment received:

Brent Copes, Central District Health, has no objection. (May 17, 2026)

Idaho Department of Environmental Quality (DEQ) provided general comments on air quality, wastewater, drinking water, surface water, solid waste, hazardous waste, water quality, ground water contamination, and best management practices. (May 26, 2026)

Paul Ashton, Parametrix and Valley County Engineer, did not review the application. (June 3, 2026)

4. Public comment received:

Ronald Thome, Nampa and 13122 Tucker RD, is opposed. (June 3, 2026)

5. Valley County Code:

**10-6-2: VACATIONS OF PLATS, PUBLIC RIGHTS OF WAY OR EASEMENTS:**

- A. Filing Of Application Required: An applicant wishing to vacate an existing subdivision, portion thereof, public right of way, or easement shall complete and file with the administrator an "application for total or partial vacation of an existing subdivision or other public right of way". This action shall be supplemental to, and in no way in conflict with, the applicant's obligation to comply with the provisions contained in Idaho Code sections 50-1317 through 50-1325.
  - B. Placement On Commission Agenda: Upon receipt of the completed application, the administrator shall place said application on the agenda of the commission to be considered at its next regular meeting, subject to the same time limits prescribed for preliminary plat applications.
  - C. Commission Review: The commission shall review the proposed vacation with regard to future development of the neighborhood. The commission shall also take into consideration the interests of adjacent property owners, of utilities, and of various public agencies where pertinent to the application.
  - D. Commission Recommendation: Within ten (10) days, the commission shall make its recommendation concerning the application to the board who shall hold a public hearing and give such public notice as required by law.
  - E. Board Action: The board may approve, deny or modify the application and shall record its action in the official minute book of the meetings of the board. Whenever public rights of way or lands are vacated, the board shall provide adjacent property owners with a quitclaim deed, as prepared by the applicant, for said vacated rights of way in such proportions as are prescribed by law.
- 

**STAFF COMMENTS / QUESTIONS:**


- 1. This site is within the Donnelly Fire District and Water District 65.
- 2. A condition of approval would be that Idaho Power releases the easements.
- 3. The Planning and Zoning Commission needs to determine if the future development of the neighborhood would be inhibited by the vacation.
- 4. The Planning and Zoning Commission decision would be a recommendation to the Board of County Commissioners, who will then hold another public hearing.
- 5. The Board of County Commissioners will sign a Declaration of Vacation if approved.

**ATTACHMENTS:**












- Location Map
- Aerial Map
- Google Maps – Aerial View
- Assessor Plat – T.16N R.3E Section 16
- Lake Cascade Ranch Subdivision – Recorded as Instrument # 79116
- Photos Taken May 20, 2026
- Responses


**END OF STAFF REPORT**

# VAC 26-001 Location Map




4/30/2026, 10:30:11 AM

-  Airstrips
-  Municipal Boundaries
-  Parcel Boundaries
- Roads**
-  MAJOR
-  MINOR COLLECTOR
-  COLLECTOR
-  URBAN/RURAL
-  USFS
-  PRIVATE
-  OTHER
-  Other











Vantor




# VAC 26-001 Aerial Map




4/30/2026, 10:24:19 AM

-  Airstrips
-  Address Points
-  Municipal Boundaries
-  Parcel Boundaries

- Roads
-  MAJOR
  -  MINOR COLLECTOR
  -  COLLECTOR
  -  URBAN/RURAL


-  USFS
-  PRIVATE
-  OTHER
-  Other



Microsoft, Vantor

Google Maps – Aerial View





This Drawing is to be Used for Reference Purposes ONLY. The County is NOT Responsible for Any Inaccuracies Contained Herein.

**PLAT TITLE**

T  
W  
P  
·  
1  
6  
N  
R  
O  
O  
S  
E  
S  
E  
C  
·  
1  
6

**VALLEY COUNTY**  
Cartography Dept.  
Assessor's Office  
Cascade, ID 83611

Filename:  
Valley County Base Map  
Scale: ~~1"=400'~~  
Date: 6/24/2025  
Drawn by: L. Frederick







Valley County Transmittal  
Division of Community and Environmental Health

Return to:

- Cascade
- Donnelly
- McCall
- McCall Impact
- Valley County

Rezone # \_\_\_\_\_

Conditional Use # \_\_\_\_\_

Preliminary / Final / Short Plat \_\_\_\_\_

VAC 26-001 Boyer Vacation of Utility Easement.

- 1. We have No Objections to this Proposal.
- 2. We recommend Denial of this Proposal.
- 3. Specific knowledge as to the exact type of use must be provided before we can comment on this Proposal.
- 4. We will require more data concerning soil conditions on this Proposal before we can comment.
- 5. Before we can comment concerning individual sewage disposal, we will require more data concerning the depth of:
  - high seasonal ground water
  - bedrock from original grade
  - waste flow characteristics
  - other \_\_\_\_\_
- 6. This office may require a study to assess the impact of nutrients and pathogens to receiving ground waters and surface waters.
- 7. This project shall be reviewed by the Idaho Department of Water Resources concerning well construction and water availability.
- 8. After written approvals from appropriate entities are submitted, we can approve this proposal for:
  - central sewage
  - interim sewage
  - individual sewage
  - community sewage system
  - central water
  - individual water
  - community water well
- 9. The following plan(s) must be submitted to and approved by the Idaho Department of Environmental Quality:
  - central sewage
  - sewage dry lines
  - community sewage system
  - central water
  - community water
- 10. Run-off is not to create a mosquito breeding problem
- 11. This Department would recommend deferral until high seasonal ground water can be determined if other considerations indicate approval.
- 12. If restroom facilities are to be installed, then a sewage system MUST be installed to meet Idaho State Sewage Regulations.
- 13. We will require plans be submitted for a plan review for any:
  - food establishment
  - beverage establishment
  - swimming pools or spas
  - grocery store
  - child care center

14. CDH has no objection to the vacation of the utility easement to combine the two lots

Reviewed By: Broad Coppe

Date: 5/17/26



May 18, 2026

Cynda Herrick, Planning & Zoning Director  
Valley County Planning & Zoning  
700 S. Main Street, Cascade, ID 83611  
cherrick@valleycountyid.gov

Subject: Valley County PZ Commission - Public Hearings - June 11, 2026

Dear Cynda Herrick:

Thank you for the opportunity to respond to your request for comment. While DEQ does not review every project on a project-specific basis, we attempt to provide the best review of the information provided. DEQ encourages agencies to review and utilize the Idaho Environmental Guide to assist in addressing project-specific conditions that may apply. This guide can be found at: <https://www2.deq.idaho.gov/admin/LEIA/api/document/download/15083>.

The following information does not cover every aspect of this project; however, we have the following general comments to use as appropriate:

**1. AIR QUALITY (D2, D6, D8)**

- Please review IDAPA 58.01.01 for all rules on Air Quality, especially those regarding fugitive dust (58.01.01.651), trade waste burning (58.01.01.600-617), and odor control plans (58.01.01.776).  
For questions, contact David Luft, Air Quality Manager, at (208) 373-0201.
- IDAPA 58.01.01.201 requires an owner or operator of a facility to obtain an air quality permit to construct prior to the commencement of construction or modification of any facility that will be a source of air pollution in quantities above established levels. DEQ asks that cities and counties require a proposed facility to contact DEQ for an applicability determination on their proposal to ensure they remain in compliance with the rules.
- For questions, contact the DEQ Air Quality Permitting Hotline at 1-877-573-7648.

**AIR QUALITY (D2, D6, D8)**

- Please review IDAPA 58.01.01 for all rules on Air Quality, especially those regarding fugitive dust (58.01.01.651), and trade waste burning (58.01.01.600-617).
- For new development projects, all property owners, developers, and their contractors must ensure that reasonable controls to prevent fugitive dust from becoming airborne are utilized during all phases of construction activities per IDAPA 58.01.01.651.
- DEQ recommends the city/county require the development and submittal of a dust prevention and control plan for all construction projects prior to final plat approval. Dust prevention and control plans incorporate appropriate best management practices to control fugitive dust that may be generated at sites.

- Citizen complaints received by DEQ regarding fugitive dust from development and construction activities approved by cities or counties will be referred to the city/county to address under their ordinances.
- Per IDAPA 58.01.01.600-617, the open burning of any construction waste is prohibited. The property owner, developer, and their contractors are responsible for ensuring no prohibited open burning occurs during construction.
- For questions, contact David Luft, Air Quality Manager, at (208) 373-0550.

## **2. WATSEWER AND RECYLED WATER**

- DEQ recommends verifying that there is adequate sewer to serve this project prior to approval. Please contact the sewer provider for a capacity statement, declining balance report, and willingness to serve this project.
- IDAPA 58.01.16 and IDAPA 58.01.17 are the sections of Idaho rules regarding wastewater and recycled water. Please review these rules to determine whether this or future projects will require DEQ approval. IDAPA 58.01.03 is the section of Idaho rules regarding subsurface disposal of wastewater. Please review this rule to determine whether this or future projects will require permitting by the local public health district.
- All projects for construction or modification of wastewater systems require preconstruction approval. Recycled water projects and subsurface disposal projects require separate permits as well.
- DEQ recommends that projects be served by existing approved wastewater collection systems or a centralized community wastewater system whenever possible. Please contact DEQ to discuss potential for development of a community treatment system along with best management practices for communities to protect groundwater.
- DEQ recommends that cities and counties develop and use a comprehensive land use management plan, which includes the impacts of present and future wastewater management in this area. Please schedule a meeting with DEQ for further discussion and recommendations for plan development and implementation.
- For questions, contact Valerie Greear, Water Quality Engineering Manager at (208) 373-0459.

## **3. DRINKING WATER**

- DEQ recommends verifying that there is adequate water to serve this project prior to approval. Please contact the water provider for a capacity statement, declining balance report, and willingness to serve this project.
- DEQ recommends verifying if the current and/or proposed drinking water system is a regulated public drinking water system. A drinking water system is a Public Water System (PWS) if it has at least 15 service connections or regularly serves an average of 25 or more people per day for at least 60 days per year (refer to the DEQ website at: <https://www.deq.idaho.gov/water-quality/drinking-water/>). For non-regulated systems, DEQ recommends annual testing for total coliform bacteria, nitrate, and nitrite.
- IDAPA 58.01.08 is the section of Idaho rules regarding public drinking water systems. Please review these rules to determine whether this or future projects will require DEQ approval.
- All projects for construction or modification of public drinking water systems require preconstruction approval.
- If any private wells will be included in this project, we recommend that they be tested for total coliform bacteria, nitrate, and nitrite prior to use and retested annually thereafter.
- DEQ recommends using an existing drinking water system whenever possible or construction of a new community drinking water system. Please contact DEQ to discuss this project and to explore options to both best serve the future residents of this development and provide for protection of groundwater resources.

- DEQ recommends cities and counties develop and use a comprehensive land use management plan which addresses the present and future needs of this area for adequate, safe, and sustainable drinking water. Please schedule a meeting with DEQ for further discussion and recommendations for plan development and implementation.
- For questions, contact Valerie Greear, Water Quality Engineering Manager at (208) 373-0459.

#### 4. SURFACE WATER

- A Construction General Permit from DEQ may be required for projects that meet the eligibility criteria and have an allowable discharge of storm water or authorized non-storm water associated with construction activities. For questions, contact Emily Montague, IPDES Compliance Supervisor, at (208) 813-0872.
- Please contact DEQ to determine whether this project will require an Idaho Pollutant Discharge Elimination System (IPDES) Permit. A Multi-Sector General Permit from DEQ may be required for facilities that have an allowable discharge of storm water or authorized non-storm water associated with the primary industrial activity and co-located industrial activity.
- For questions, contact Emily Montague, IPDES Compliance Supervisor, at (208) 373-0433.
- If this project is near a source of surface water, DEQ requests that projects incorporate construction best management practices (BMPs) to assist in the protection of Idaho's water resources. Additionally, please contact DEQ to identify BMP alternatives and to determine whether this project is in an area with Total Maximum Daily Load stormwater permit conditions.
- The Idaho Stream Channel Protection Act requires a permit for most stream channel alterations. Please contact the Idaho Department of Water Resources (IDWR), Western Regional Office, at 2735 Airport Way, Boise, or call (208) 334-2190 for more information. Information is also available on the IDWR website at:  
<https://idwr.idaho.gov/streams/stream-channel-alteration-permits.html>
- The Federal Clean Water Act requires a permit for filling or dredging in waters of the United States. Please contact the US Army Corps of Engineers, Boise Field Office, at 10095 Emerald Street, Boise, or call 208-345-2155 for more information regarding permits.
- For questions, contact Lance Holloway, Surface Water Manager, at (208) 373-0564.

#### 5. SOLID WASTE, HAZARDOUS WASTE AND GROUNDWATER CONTAMINATION

- **Solid Waste.** No trash or other solid waste shall be buried, burned, or otherwise disposed of at the project site. These disposal methods are regulated by various state regulations including Idaho's Solid Waste Management Regulations and Standards (IDAPA 58.01.06), Rules and Regulations for Hazardous Waste (IDAPA 58.01.05), and Rules and Regulations for the Prevention of Air Pollution (IDAPA 58.01.01). Inert and other approved materials are also defined in the Solid Waste Management Regulations and Standards.
- **Hazardous Waste.** The types and number of requirements that must be complied with under the federal Resource Conservation and Recovery Act (RCRA) and the Idaho Rules and Standards for Hazardous Waste (IDAPA 58.01.05) are based on the quantity and type of waste generated. Every business in Idaho is required to track the volume of waste generated, determine whether each type of waste is hazardous, and ensure that all wastes are properly disposed of according to federal, state, and local requirements.


- **Water Quality Standards.** Site activities must comply with the Idaho Water Quality Standards (IDAPA 58.01.02) regarding hazardous and deleterious-materials storage, disposal, or accumulation adjacent to or in the immediate vicinity of state waters (IDAPA 58.01.02.800); and the cleanup and reporting of oil-filled electrical equipment (IDAPA 58.01.02.849); hazardous materials (IDAPA 58.01.02.850); and used-oil and petroleum releases (IDAPA 58.01.24.060 and 58.01.24.061). Petroleum releases must be reported to DEQ in accordance with IDAPA 58.01.24.060.01 and 58.01.24.061.04. Hazardous material releases to state waters, or to land such that there is likelihood that it will enter state waters, must be reported to DEQ in accordance with IDAPA 58.01.02.850.
- **Groundwater Contamination.** DEQ requests that this project comply with Idaho's Ground Water Quality Rules (IDAPA 58.01.11), which states that "No person shall cause or allow the release, spilling, leaking, emission, discharge, escape, leaching, or disposal of a contaminant into the environment in a manner that causes a ground water quality standard to be exceeded, injures a beneficial use of ground water, or is not in accordance with a permit, consent order or applicable best management practice, best available method or best practical method."
- For questions, contact Matthew Pabich, Waste & Remediation Manager, at (208) 373-0510.

#### 6. ADDITIONAL NOTES

- If an underground storage tank (UST) or an aboveground storage tank (AST) is identified at the site, additional regulations may apply. If an UST is present, the site should be evaluated to determine whether the UST is regulated by DEQ. If an AST is identified, EPA may have additional requirements. Both UST and AST sites should be assessed to determine whether there is potential soil and ground water contamination. Please call DEQ at (208) 373-0550, or visit the DEQ website <https://www.deq.idaho.gov/waste-management-and-remediation/storage-tanks/leaking-underground-storage-tanks-in-idaho/> for assistance. If applicable to this project, DEQ recommends that BMPs be implemented for any of the following land uses: wash water from cleaning vehicles, fertilizers and pesticides, animal facilities, composted waste, ponds and outdoor gun ranges. Please contact DEQ for more information on any of these conditions.

We look forward to working with you in a proactive manner to address potential environmental impacts that may be within our regulatory authority. If you have any questions, please contact me, or any of our technical staff at (208) 373-0550.

Sincerely,



Troy Smith  
Regional Administrator

Dear Cynda

I've lived on my property for 39 yrs. I'm 87 yrs old and I don't really don't know what they want to do and build, but if my vote counts I'm not in favor of any of it.

I don't have a smart phone or a computer so I don't really know what's going on. but my vote would be no.

Thank you

Ronald Thome

lot # 13122

T

Ron & Kathy Thome  
227 Holland Drive  
Nampa, Idaho 83651

RECEIVED  
JUN 3 2026  
BY: \_\_\_\_\_